





prima

The Smarter Choice™



PRACTICAL

Prima appliances are designed for your everyday needs, and to be easy every time you use them.

Whether it is an oven, a microwave, or a washer dryer, most of us will use a small number of programmes most of the time and so our appliances make it really easy to use these programmes and to get great results every time.

For those who want to be a little more adventurous our new feature rich Prima + ovens have additional programmes and settings to let you experiment.

For all your everyday needs

EFFICIENT

All Prima appliances have an excellent energy rating, meaning that they are better for the environment and also much cheaper to run.

FREE 5 YEAR **GUARANTEE** (5 YR PARTS/2 YR LABOUR)

With our parts & labour guarantee you can have the peace of mind that a Prima appliance will give you easy and reliable everyday use for years to come.





RANGE

The Prima range has everything you need to complete your kitchen, from self cleaning ovens to the kitchen sink.

Whether you prefer a gas hob or the newer induction hob (which can boil a pan of water in under a minute) or if you prefer double ovens to single ovens, with dials or a digital touchscreen; or even if you prefer a 70/30 split fridge freezer to a 50/50 split; our Prima range has a great product to match your preferences.

















VALUE

Prima products are specifically built to combine great features and looks at a price that suits every budget.

Our Prima products have added functions and style features that make them the ideal alternative to more expensive brands but at a much lower price adding to the value of buying Prima.

High spec products at a much lower price





GUARANTEE

We're so confident in the quality and build of our Prima appliance products that we offer a FREE 5 year parts & 2 year labour guarantee as standard on all our products, if you register your product with us within 30 days of purchase.

To register your guarantee please visit www.Prima-Appliances.uk/Guarantee


So with virtually no risk with our guarantee, and with such good quality products at highly attractive prices, isn't it time you bought Prima?

5 FREE years of complete peace of mind

FREE **5 YEAR GUARANTEE**

(5 YR PARTS/2 YR LABOUR)

With our parts & labour guarantee you can have the peace of mind that a Prima appliance will give you easy and reliable everyday use for years to come.



PRIMA+

Bringing premium brand features at Prima prices

Our range of Prima+ products have features and functions usually associated with more expensive brands, but with Prima+ we focus on providing the everyday functions and settings that you will need most of the time.

By avoiding adding extra features that will largely go unused and by offering a more defined range centred around your daily use we can provide you with a product that competes with more expensive brands on achieving great results at a fraction of the price.

And when you factor in our 5 year parts guarantee and 2 years labour, the whole life value of a Prima+ product is hard to beat.

Adding more value for your money



BUILT-IN OVENS

Our range of Prima ovens provides different options to suit your tastes and needs. So if you prefer touchscreen or dials, single or double ovens, with more or fewer features, we have an oven that's right for you.

All of our range are built-in or built-under to fit neat and flush in your fitted kitchen and look great whatever your kitchen style.

A range of optional add-ons such as telescopic rails and complementary products such as our warming drawer, microwaves or hob ranges give you more great ways of achieving a high-end look and finish all at a very attractive price.

Look out for our Prima+ products...



All Prima+ single and double ovens utilise their larger capacity with 2 shelves, 1 grill pan and 1 trivet as standard.

Cook, bake or roast your way

FUNCTIONGUIDE

Key to function icons for ovens



ENERGY RATING

All our single ovens come with an A rating, all our double ovens come with an A rating upper cavity and an A rating lower cavity.



CONVENTIONAL COOKING

Combines top & bottom heating.



BOTTOM HEATING COOKING

Bottom heating only.



CONVECTIONAL COOKING WITH FAN ASSISTANCE

Combines top & bottom heating with fan assistance.



FAN WITH LOWER HEAT

Combines bottom heating with fan assistance.



PYROLYTIC CLEANING OVEN

An automatic cleaning function which means no detergents need to be used in the oven cavity. The inside of the oven is heated and reaches 480° at which point any grease stuck to the walls is simply burnt off. You can then wipe with a damp cloth.



CAPACITY

Oven capacity (litres).



GRILLS

Single/single variable/dual variable. Ovens come with a number of different grill models, see individual product page for the type of grill fitted.



GRILL AND FAN

Combination of grill and fan assisted.



ECO GRILL

Energy saving option.



CIRCA FAN COOKING

Our ovens come with a fan behind the back wall of the oven forces air through heating elements, food is cooked guicker and evenly in all parts of the oven.



CIRCA FAN COOKING WITH LOWER HEAT

Adds the lower heat element to the circa fan.



ELECTRONIC PROGRAMMER/DISPLAY

Electronic clock with digital timer.



MINUTE MINDER

Mechanical Timer.



DEFROST FUNCTION

Oven fan assists defrost by circulating air around food.



MICROWAVE

Cooking with microwave function.



13AMP SUPPLY

Can operate from a 13amp supply.



DIGITAL **TEMPERATURE DISPLAY**

Gives accurate oven temperature reading even when warming up.

All ovens come with a grill pan handle as standard. For technical specification and features please see page 57.

Single Electric Ovens

BUILT-IN SINGLE ELECTRIC FAN OVEN

PRSO106





- 16 Litre capacity
- Touch control, white LED display
- Removable glass for easy door cleaning
- Quick-remove door for easy cleaning
- Removable side racks for easy cleaning
- Telescopic rails (optional extra PRTG001)
- Energy rating: A
- Dimensions: H 595 x W 595 x D 567mm
- Works on 13A supply
- 7 Cooking functions: Top heat & bottom heat, fan & half grill, full grill, lower heat, fan & circular heater, fan with top & bottom heat, fan only
- 5 Year parts & 2 year labour

BUILT-IN SINGLE ELECTRIC FAN OVEN

PRSO108





- 16 The Capacity
- Full touch control, white LED display
- ♣ Live digital temperature reading
- Removable glass for easy door cleaning
- Quick-remove door for easy cleaning
- Removable side racks for easy cleaning
- Telescopic rails (optional extra PRTG001)
- Energy rating: A
- Dimensions: H 595 x W 595 x D 567mm
- Works on 13A supply
- 10 Cooking functions: Top & bottom heat, fan & full grill, full grill, bottom heat, eco grill, fan & circular heater, fan plus circular heater & bottom heater, fan & bottom heat, fan with top & bottom heat, fan only
- 5 Year parts & 2 year labour

BUILT-IN SINGLE ELECTRIC PYROLYTIC FAN OVEN

PRSO110





- 16 Litre capacity
- Full touch control, white LED display
- **⊕** Live digital temperature reading
- Quadruple glazed to retain heat
- Quick-remove door for easy cleaning
- Removable side racks for easy cleaning
- Telescopic rails (optional extra PRTG001)
- Energy rating: A
- Dimensions: H 595 x W 595 x D 567mm
- 11 Cooking functions: Top & bottom heat, fan & full grill, bottom heat, eco grill, fan & circular heater, fan plus circular heater & bottom heater, fan & bottom heat, fan with top & bottom heat, fan only, Pyrolytic Cleaning
- 5 Year parts & 2 year labour

BUILT-IN SINGLE ELECTRIC FAN OVEN

PRSO105





- Modern full black glass design
- 60 Litre capacity
- 4 Cooking functions
- Minute minder
- EasyClean enamel
- Energy rating: A
- Quick-remove door for easy cleaning
- Removable side racks for easy cleaning
- Dimensions: H 595 x W 595 x D 565mm
- Works on 13A supply
- 5 Year parts & 2 year labour

BUILT-IN SINGLE ELECTRIC FAN OVEN

PRSO107





- Modern full black glass design
- 60 Litre capacity
- 4 Cooking functions
- Digital programmer
- EasyClean enamel
- Energy rating: A
- Quick-remove door for easy cleaning
- Removable side racks for easy cleaning
- Dimensions: H 595 x W 595 x D 565mm
- Works on 13A supply
- 5 Year parts & 2 year labour

Single Electric Ovens

BUILT-IN SINGLE ELECTRIC FAN OVEN

PRSO101





- 60 Litre capacity
- 4 Cooking functions
- Minute minder
- EasyClean enamel
- Energy rating: A
- Quick-remove glass for easy cleaning
- Removable side racks for easy cleaning
- Dimensions: H 595 x W 595 x D 565mm
- Works on 13A supply
- 5 Year parts & 2 year labour

Compare our ovens see page 57 www.Prima-Appliances.uk | 11

Single & Double Electric Ovens

BUILT-IN SINGLE ELECTRIC FAN OVEN PRSO103





- 60 Litre capacity
- 4 Cooking functions
- Digital programmer
- EasyClean enamel
- Energy rating: A
- Quick-remove glass for easy cleaning
- Removable side racks for easy cleaning
- Dimensions: H 595 x W 595 x D 565mm
- Works on 13A supply
- 5 Year parts & 2 year labour

PRIMA+ BUILT-IN DOUBLE ELECTRIC OVEN PRDO302





- ♠ White LED touch control digital display
- Quick-remove doors for easy cleaning
- Removable side racks for easy cleaning
- ♠ Telescopic rails (optional extra PRTG001)
- 35 Litre capacity (top cavity)
- 59 Litre capacity (main oven)
- Energy rating: A/A
- Dimensions: H 888 x W 595 x D 560mm
- Top oven functions: 4 functions conventional, grill, eco grill, bottom heat
- Main oven functions: 4 functions fan & full grill, full grill, fan & circular heater, fan
- 5 Year parts & 2 year labour

PRIMA+ BUILT-UNDER DOUBLE ELECTRIC OVEN

PRDO304





- ♠ White LED touch control digital display
- ♠ Quick-remove doors for easy cleaning
- Removable side racks for easy cleaning
- 35 Litre capacity (top cavity)
- 50 Litre capacity (main oven)
- Energy rating: A/A
- Dimensions: H 718 x W 595 x D 560mm
- Top oven functions: 4 functions conventional, grill, eco grill, bottom heat
- Main oven functions: 4 functions fan & full grill, full grill, fan & circular heater, fan
- 5 Year parts & 2 year labour

12 | Electric Ovens

Compact Oven & warming drawer

BUILT-IN COMPACT COMBINATION MICROWAVE, GRILL & FAN OVEN

PRCM333



Microwave



Microwave & grill



Microwave + rear element + fan



Defrost

Top grill



Rear element + fan



Top grill + fan



Top grill + rear element + fan



13amp Supply

- 40 Litre capacity
- Full touch control, white LED display
- ♣ Live digital temperature reading
- 900W microwave
- Dimensions: H 455 x W 595 x D 570mm
- Works on 13A supply
- 8 functions: Microwave, microwave & grill, microwave rear heater & fan, fan oven, grill & fan, grill, oven grill & fan, defrost
- 5 Year parts & 2 year labour





- 6 Plate settings
- Push/Pull action
- Stainless steel strip
- Ideal to combine with compact oven PRCM333
- Dimensions: H 141 x W 595 x D 580mm
- 5 Year parts & 2 year labour



PRTG001



- 2/3 extension
- Stainless steel
- 12.5kg load capacity
- Fits Prima+ ovens: PRSO106/PRSO108/ PRSO110/PRDO302 (main oven)



BUILT-IN MICROWAVES

Designed to complement our ovens, both in style and functionality, our range of microwaves bring you all the ease and convenience benefits we expect from a microwave, including some built-in models that can fit inside a wall cabinet as well as a housing unit.

As a Prima product our microwaves focus on providing all the right functions you will need for your everyday and at a price that makes the decision to include one in your kitchen that little bit easier.

Look out for our Prima+ products...



Our Prima+ microwave offers a sleek black glass design and can even fit inside a standard wall cupboard as well as a tall housing.

Quality and convenience

FUNCTION GUIDE

Key to function icons for microwaves



MICROWAVE

Cooking with microwave function.



GRILLS

Single/single variable/dual variable. Ovens come with a number of different grill models, see individual product page for the type of grill fitted.



MINUTE MINDER

Mechanical Timer.



JET DEFROST

Defrosts 7 times faster than a conventional microwave oven with even microwave distribution that works directly on the water molecules inside the food.



DEFROST FUNCTION

Oven fan assists defrost by circulating air around food.



CHILD LOCK

This locks the function, preventing the danger of children altering functions.



ELECTRONIC PROGRAMMER/DISPLAY

Electronic clock with digital timer.



EXPRESS COOKING

Facilitates cooking at full microwave power for short period.



AUTO PROGRAMMES

Eg: Pizza, meat, pasta, potato, fish, vegetable, popcorn and beverage.



DIGITAL TIMER

Digital clock and timer



CAPACITY

Microwave capacity (litres).



13AMP SUPPLY

Can operate from a 13amp supply.

For technical specification and features please see page 58

Microwaves

PRIMA+ BUILT-IN **39CM MINI MICROWAVE** PRCM111





- Fits in wall cabinets (of min. 300mm depth)
- ⊕ Easy installation system
- ⊕ Jet defrost function
- ♣ Digital timer
- Child safety lock
- 4 Power levels
- 22 Litre capacity
- 750W
- Dimensions: H 382 x W 595 x D 320mm
- Works on 13A supply
- 5 Year parts & 2 year labour

BUILT-IN STAINLESS STEEL FRAMELESS MICROWAVE AND GRILL

LCTM251





- 5 Power levels
- 25 Litre capacity
- 900W Microwave
- 1000W Grill
- Digital timer
- Defrost setting
- Automatic cook menus
- Child safety lock
- 3 Functions
- Dimensions: H 388 x W 595 x D 410mm
- Works on 13A supply
- 5 Year parts & 2 year labour

BUILT-IN STAINLESS STEEL FRAMED **MICROWAVE AND GRILL**

LCTM25F





- 5 Power levels
- 25 Litre capacity
- 900W Microwave
- 1000W Grill
- Digital timer
- Defrost setting
- Automatic cook menus
- Child safety lock
- 3 Functions
- Dimensions: H 388 x W 595 x D 410mm
- Works on 13A supply
- 5 Year parts & 2 year labour

BUILT-IN STAINLESS STEEL FRAMED MICROWAVE LCTM201





- 5 Power levels
- 20 Litre capacity
- 800W
- Digital timer
- Cooking timer: 0-95 mins
- Defrost setting
- Express cooking
- Child safety lock
- Dimensions: H 382 x W 594 x D 316mm
- Works on 13A supply
- 5 Year parts & 2 year labour

BUILT-IN BLACK MICROWAVE

PRCM202



For our combination oven and microwave see page 13



- 5 Power levels
- 20 Litre capacity
- 800W
- 35 minute timer
- Defrost setting
- Dimensions: H 384 x W 595 x D 336mm
- Works on 13A supply
- 5 Year parts & 2 year labour

Compare our microwaves see page 58 www.Prima-Appliances.uk | 17





HOBS

Choosing your hob type is a very personal decision and whether your preference is gas, electric, induction or ceramic the Prima range has a great solution for you.

Look out for our Prima+ products...



Our Prima+ gas on glass hobs are beautifully stylish and complement our Prima+ ovens and hoods to create a consistent and complete look usually associated with more expensive brands.

For technical specifications and features please see page 59-60

Whatever your preference



PRGH218



- ♣ Frameless finish
- Cast iron pan supports
- ♣ Auto-ignition control knobs
- 4 Burners
- Auto lock safety device
- Flame failure safety device
- Cut-out dimensions (mm): W 560 x D 490
- Dimensions: H 90 x W 590 x D 520mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

PRIMA+ 70CM **GAS ON GLASS HOB**

PRGH220



- ♣ Frameless finish
- Cast iron pan supports
- ♣ Auto-ignition control knobs
- 4.5kW Wok Burner
- 5 Burners
- Auto lock safety device
- Flame failure safety device
- Cut-out dimensions (mm): W 560 x D 490
- Dimensions: H 94 x W 690 x D 520mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour



PRGH222



- ♣ Frameless finish
- Cast iron pan supports
- Auto-ignition control knobs
- 4.5kW Wok Burner
- 5 Burners
- Auto lock safety device
- Flame failure safety device
- Cut-out dimensions (mm): W 810 x D 490
- Dimensions: H 94 x W 860 x D 520mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

www.Prima-Appliances.uk | 19 Compare our hobs see page 59-60

60CM GAS ON GLASS HOB

PRGH212



- Frameless finish
- Cast iron pan supports
- Auto-ignition control knobs
- 4 Burners
- Auto lock safety device
- Flame failure safety device
- Cut-out dimensions (mm): W 557 x D 477
- Dimensions: H 100 x W 580 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

70CM GAS ON GLASS HOB

PRGH214



- Frameless finish
- Cast iron pan supports
- Auto-ignition control knobs
- 3.8kW Wok Burner
- 5 Burners
- Auto lock safety device
- Flame failure safety device
- Cut-out dimensions (mm): W 557 x D 477
- Dimensions: H 100 x W 700 x D 510mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

90CM GAS ON GLASS HOB

PRGH216




- Frameless finish
- Cast iron pan supports
- Auto-ignition control knobs
- 3.8kW Wok Burner
- 5 Burners
- Auto lock safety device
- Flame failure device
- Cut-out dimensions (mm): W 837 x D 477
- Dimensions: H 100 x W 860 x D 510mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

20 | Hobs

Compare our hobs see page 59-60

60CM STAINLESS STEEL GAS HOB

PRGH106




- 4 Burners
- Enamelled pan supports
- Push and turn electric ignition
- Easy clean top plate and control
- 8 Power settings
- Flame failure safety device
- Cut-out dimensions (mm): W 560 x D 490
- Dimensions: H 90 x W 590 x D 520mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

60CM STAINLESS STEEL GAS HOB

PRGH108

WITH **CAST IRON** PAN SUPPORTS



- 4 Burners
- Cast iron pan supports
- Push and turn electric ignition
- Easy clean top plate and control
- 8 Power settings
- Flame failure safety device
- Cut-out dimensions (mm): W 560 x D 490
- Dimensions: H 90 x W 590 x D 520mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

70CM STAINLESS STEEL GAS HOB

PRGH114

WITH **CAST IRON** PAN SUPPORTS



- 5 Burners
- 3.8kW Wok Burner
- Push and turn electric ignition
- Cast iron pan supports
- Flame failure safety device
- Cut-out dimensions (mm): W 557 x D 477
- Dimensions: H 42 x W 680 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

90CM STAINLESS STEEL GAS HOB

PRGH116

WITH **CAST IRON** PAN SUPPORTS



- 5 Burners
- 3.8 kW Wok Burner
- Push and turn electric ignition
- Cast iron pan supports
- Flame failure safety device
- Cut-out dimensions (mm): W 837 x D 477
- Dimensions: H 42 x W 860 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

Compare our hobs see page 59-60 www.Prima-Appliances.uk | 21



PRVH001



- Bridging zone
- ♣ Touch control
- 4 Cooking zones
- Extraction rate: 398m3/h
- 61dB (A)
- Energy rating: B
- 3 venting speed levels
- Black glass frameless finish
- Maximum nominal power: 6.8kW
- Cut-out dimensions (mm): W 780 x D 500
- Dimensions: H 60 x W 800 x D 520mm
- 5 Year parts & 2 year labour

PRIMA+ 60CM INDUCTION HOB

PRIH204



- ♣ Black glass with stainless steel trim to coordinate with '+' oven models
- Slider controls
- 4 Cooking zones
- Residual heat indicators
- Child safety lock
- Auto shut-off safety mechanism
- Maximum nominal power: 7.2kW
- Cut-out dimensions (mm): W 560 x D 490
- Dimensions: H 55 x W 590 x D 520mm
- 5 Year parts & 2 year labour

75CM INDUCTION HOB

PRIH206



- Slider controls
- 5 Cooking zones
- Extra large centre zone
- Residual heat indicators
- Digital timer function
- Child safety lock
- Maximum nominal power: 7.4kW
- Cut-out dimensions (mm): W 730 x D 490
- Dimensions: H 62 x W 750 x D 520mm
- 5 Year parts & 2 year labour

90CM INDUCTION HOB

PRIH208



- Slider controls
- 5 Cooking zones
- Residual heat indicators
- Timer at each zone (1-99 minutes)
- Child safety lock
- Auto shut-off safety mechanism
- Black glass frameless finish
- Maximum nominal power: 7.4kW
- Cut-out dimensions (mm): W 830 x D 490
- Dimensions: H 62 x W 860 x D 520mm
- 5 Year parts & 2 year labour

60CM INDUCTION HOB

PRIH016



- Touch control
- 4 Cooking zones
- Residual heat indicators
- Timer at each zone (1-99 minutes)
- Child safety lock
- Auto shut-off safety mechanism
- Black glass framless finish
- Maximum nominal power: 7.0kW
- Cut-out dimensions (mm): W 560 x D 490
- Dimensions: H 62 x W 590 x D 520mm
- 5 Year parts & 2 year labour

The PR1H018 hob is designed to be 'plug and play' by ensuring the maximum load does not exceed 3kW when in use. To do this, the hob cleverly balances it's achievable power levels to ensure a combined maximum of 20 is not exceeded.

60CM INDUCTION HOB


Includes 13 amp plug PRIH018



- Touch control
- 4 Cooking zones
- Residual heat indicators
- Timer at each zone (1-99 minutes)
- Child safety lock
- Auto shut-off safety mechanism
- Black glass framless finish
- Maximum nominal power: 3kW
- Cut-out dimensions (mm): W 560 x D 490
- Dimensions: H 62 x W 590 x D 520mm
- 5 Year parts & 2 year labour

60CM CERAMIC HOB


PRCEH104



- 4 Hi-light cooking zones
- Residual heat indicators
- Easy grip control knobs
- Black glass frameless finish
- Auto safety shut off
- Maximum nominal power: 6kW
- Cut-out dimensions (mm): W 564 x D 494
- Dimensions: H 52 x W 580 x D 510mm
- 5 Year parts & 2 year labour

60CM CERAMIC HOB

PRCEH106



- Touch control and digital display
- 4 Hi-light cooking zones
- Residual heat indicators
- Timer at each zone (1-99 minutes)
- Auto safety shut off
- Child safety lock
- Black glass frameless finish
- Maximum nominal power: 6kW
- Cut-out dimensions (mm): W 564 x D 494
- Dimensions:

H 52 x W 580 x D 510mm

• 5 Year parts & 2 year labour

Compare our hobs see page 59-60 www.Prima-Appliances.uk | 23





HOODS

Our Hoods range has a wide variety of styles and types giving you complete flexibility, whether for use over an island, wall mounted or even our Prima+ downdraft hood which fits into your worktop.

Look out for our Prima+ products...



Our Prima+ hoods are highly functional with excellent extraction rates and yet are stylish enough to enhance the look of any kitchen.

For technical specifications and features please see page 61

Style and function combined

PRIMA+ 90CM CEILING HOOD PRCH301





- Extraction rate: 718m³/h
- Remote control switch
- 3 Speed settings and booster function
- 4 x 1W LED bulbs
- 69 dBA
- Energy rating: B
- Dimensions:
 H 76 (body) + 170 (motor)
 x W 900
- x D 600mm
- PRDK150 Prima ducting kit (optional)
- Can be recirculated with carbon filter PRF008
- 5 Year parts & 2 year labour

PRIMA+ 90CM DOWNDRAFT HOOD



- Extraction rate: 549m³/h
- ♣ Touch control

PRDF0004

- 3 Speed settings and booster function
- 2 x 1W LED bulbs
- 67dBA
- Energy rating: D
- Dimensions: H 330 x W 880 x D 94mm
- Can be recirculated with carbon filter PRF008
- Retracts into worktop when not in use
- PRDK150 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

Cannot be used with a gas hob

PRIMA+ 60CM ANGLED HOOD PRAF0030



- Extraction rate: 387m³/h
- ♣ Touch control
- 3 Speed settings
- ♠ White LED to match Prima+ ovens
- 62 dBA
- Energy rating: B
- Dimensions:
- H 827-1127 x W 600 x D 333mm
- PRF006 Carbon filter to suit (optional)
- PRAE801 Chimney extension black (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour



PRAE1002/PRAE1004/PRAE1006



- Extraction rate: 387m³/h
- White LED Touch control
- 3 Speed settings
- 15 minute timer
- Anodised aluminium filter
- 2 x LED lights
- 62 dBA
- Energy rating: B
- Dimensions:

H 810-1110 x W 600/700/900 x D 330mm

- PRF006 Carbon filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- PRAE900 Chimney extension stainless steel (optional)
- 5 Year parts & 2 year labour

PRIMA+ STAINLESS STEEL TOUCH CONTROL BOX HOOD

PRCH026 - 60cm PRCH028 - 70cm

PRCH030 - 90cm



- Extraction rate: 354m³/h
- ★ Touch control black glass panel
- 3 Speed settings
- ♠ White LED to match Prima+ ovens
- Digital LED clock
- Delay timer (1-9 minutes)
- 2x 1W LED lamps
- 70 dBA
- Energy rating: C
- Dimensions: H 450-750 x W 600/700/900 x D 450mm
- PRF007 Carbon filter to suit (optional)
- PRAE802 Chimney extension (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

ANGLED HOOD

PRAE0018 - 60cm

PRAE0020 - 70cm

PRAE0022 - 90cm



- Extraction rate: 387m3/h
- Push button control
- 3 Speed settings
- Anodised aluminium filter
- 2x LED lights
- 62 dBA
- Energy rating: B
- Dimensions: H 780-1080 x W 600/700/900 x D 313mm
- PRF006 Carbon filter to suit (optional)
- PRAE801 Chimney extension black (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

90CM STAINLESS STEEL CURVED GLASS ISLAND HOOD

PRCGH100



- Extraction rate: 360m³/h
- Push button control
- 3 Speed settings
- Anodised aluminium filter
- 2x LED lights
- 63dBA
- Energy rating: B
- Dimensions: H 830-1050 x W 900 x D 600mm
- PRF006 Carbon filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

26 | Hoods Compare our hoods see page 61

60CM **STAINLESS STEEL FLAT GLASS CHIMNEY HOOD**

PRFH002



- Maximum extraction: 278m3/h
- Push button control
- 3 Speed settings
- Aluminium filter
- 1x LED light
- 65 dBA
- Energy rating: B
- Dimensions: H 430-730 x W 600 x D 450mm
- PRF006 Carbon filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

STAINLESS STEEL CURVED GLASS CHIMNEY HOOD

PRCGH008 - 60CM PRCGH010 - 70CM

PRCGH012 - 90CM



- Maximum extraction: 278m3/h
- Push button control
- 3 Speed settings
- Aluminium filter
- 1x LED light
- 65 dBA
- Energy rating: B
- Dimensions: H 540-740 x W 600/700/900 x D 450mm
- PRF006 Carbon filter to suit (optional)
- PRCGH801 Chimney extension stainless steel (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

BLACK CURVED GLASS CHIMNEY HOOD

PRCGH009 - 60CM

PRCGH011 - 70CM

PRCGH013 - 90CM



- Maximum extraction: 278m3/h
- Push button control
- 3 Speed settings
- Aluminium filter
- 1x LED light
- 65 dBA
- Energy rating: B
- Dimensions: H 540-740 x W 600/700/900 x D 450mm
- PRF006 Carbon filter to suit (optional)
- PRCGH901 Chimney extension black (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

Hoods

STAINLESS STEEL CHIMNEY HOOD

PRCH020 - 60CM

PRCH022 - 70CM

PRCH024 - 90CM

ALSO AVAILABLE IN BLACK

PRCH021 - 60CM

PRCH023 - 90CM

- Maximum extraction: 379m³/h
- 2x Anodised aluminium filters
- 2x 2.8W LED lights
- 60 dBA
- Energy rating: D
- Dimensions:

H 668-898 x W 600/700/900 x D 450mm

- LIA210 Carbon filter to suit (optional)
- PRCH800 Chimney extension stainless steel (optional)
- PRCH900 Chimney extension black (optional)
- PRDK150 Prima ducting kit (optional)



GREY INTEGRATED HOOD

PRCH550



- Extraction rate: 263m3/h
- Slider buttons
- 3 Speed settings
- Auto-start when opened
- Acrylic filter
- 1x 2.8W LED light
- 61 dBA
- Energy rating: D
- Dimensions: H 400 x W 600 x D 495mm
- LIA210 Carbon filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

60CM TELESCOPIC HOOD

PRCH600



- Extraction rate: 273m3/h
- Slider control
- 3 Speed settings
- 2x 2.8W LED bulbs
- 61 dBA
- Energy rating: D
- Dimensions: H 175 x W 598 x D 306 456mm
- Stainless steel front panel
- LIA210 filter to suit (optional)
- PRDK150 ducting kit (optional)
- 5 Year parts & 2 year labour

60CM SILVER VISOR HOOD

PRCH400



- Extraction rate: 231m3/h
- Push buttons
- 3 Speed settings
- Acrylic filter
- 1x 2.8W LED bulb
- 62 dBA
- Energy rating: D
- Dimensions: H 150 x W 600 x D 520mm
- LIA210 Filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

GREY CANOPY HOOD

PRCH700- 60CM PRCH701- 73CM



- Extraction rate: 273m3/h
- Acrylic filter
- 2x 2.8W LED light
- 61 dBA
- Energy rating: D
- Dimensions: H 148 x W 527/707 x D 283mm
- LIA210 filter to suit (optional)
- PRDK125 optional ducting kit for PRCH700
- PRDK150 optional ducting kit for PRCH701
- 5 Year parts & 2 year labour

GLASSSPLASHBACKS

60CM STRAIGHT SPLASHBACK

LES001/LES002/LES003/LES005

60CM CURVED SPLASHBACK

LES101/LES102/LES103/LES105











- Made in UK
- Dimensions: H 750 x W 600 x D 6mm
- Curved splashbacks designed to fit PRCGH008 & PRCGH009

STAINLESS STEEL SPLASHBACKS

60/70/90/100CM STRAIGHT SPLASHBACK

LCT025/LCT026/LCT027/LCT028



- Made in UK
- Dimensions: H 750 x W 600/700/900/1000 x D 10mm
- Easy-fit design
- Quality 430 brushed stainless steel

60/70/90CM **CURVED SPLASHBACK**

LAA004/LAA005/LAA006



- Made in UK
- Dimensions: H 750 x W 600/700/900 x D 10mm
- Designed to fit PRCGH008 & PRCGH009
- MDF backed
- Quality 430 brushed stainless steel







BUILT-IN COOLING

All Prima fridges, freezers and combined fridge freezers are built-in so that externally they appear as another cabinet or unit in your kitchen.

Our Prima fridge freezers also look great on the inside with a silver trim and an optional chrome wine rack.

All Prima cooling products are also frost-free, making them comparable with products usually associated with more expensive brands.

Looks stylish inside and out

FUNCTIONGUIDE

Key to function icons



FROST FREE

This innovative system eliminates the formation of ice on food and the freezer interior.



AUTO DEFROST

Automatically defrosts the fridge at regular intervals without the need to switch off the appliance or remove the food stored.



FAST FREEZE

The fast freeze function rapidly lowers the temperature ensuring that fresh food is frozen quickly.



STAR RATING

Freezer compartments allow food to be stored below -18°C, so that it can be kept for longer.



LED DISPLAY

To show current and set temperature within the wine cabinet.



CAPACITY

Giving the overall capacity in litres.

50/50 FROST FREE FRIDGE FREEZER

PRRF500





- Frost Free
- Silver trim on shelves and balconies
- Chrome wine rack (optional extra)
- ★★★★ Freezer rating
- 147 Litre capacity fridge
- 77 Litre capacity freezer
- 3 Adjustable shelves

- 2 Salad crispers
- Reversible doors
- Flame retardant metal back
- Energy rating: F
- Dimensions: H 1770 x W 540 x D 540mm
- 5 Year parts & 2 year labour

70/30 FROST FREE FRIDGE FREEZER

PRRF700





- Frost Free
- Silver trim on shelves and balconies
- Chrome wine rack (optional extra)
- ★★★★ Freezer rating
- 182 Litre capacity fridge
- 56 Litre capacity freezer
- 4 Adjustable shelves

- 2 Salad crispers
- Reversible doors
- Flame retardant metal back
- Energy rating: F
- Dimensions: H 1770 x W 540 x D 54mm
- 5 Year parts & 2 year labour

CHROME WINE RACK

PRRF900

Complement your fridge and add a stylish chrome wine rack.



• Fits in PRRF500/502/700/702/208

SILVER PLINTH APPLIANCE VENTILATION GRILL

PRRF901



- Recommended for any integrated refrigeration installation
- W 500 x H 110mm

32 | Cooling

50/50 FRIDGE FREEZER

PRRF502





- 147 Litre capacity fridge
- 81 Litre capacity freezer
- Silver trim on shelves and balconies
- Automatic defrost fridge
- Manual defrost freezer
- 3 Adjustable shelves
- 2 Salad crispers

- Reversible doors
- Flame retardant metal back
- *** Freezer rating
- Energy rating: F
- Dimensions: H 1770 x W 540 x D 540mm
- 5 Year parts & 2 year labour

70/30 FRIDGE FREEZER

PRRF702





- 182 Litre capacity Fridge
- 60 Litre capacity freezer
- Silver trim on shelves and balconies
- Auto defrost fridge
- Manual defrost freezer
- 4 Adjustable shelves
- 2 Salad crispers

- Reversible doors
- Flame retardant metal back
- ★★★★ Freezer rating
- Energy rating: F
- Dimensions: H 1770 x W 540 x D 540mm
- 5 Year parts & 2 year labour

UNDER COUNTER LARDER FRIDGE

PRRF100





- 135 Litre capacity fridge
- 3 Glass shelves
- Hettich hinges
- Automatic defrost
- Flame retardant metal back
- Reversible door
- Energy rating: F
- Dimensions:
- H 820-870 x W 596 x D 550mm
- Multiple shelf levels to help utilise space
- 2 Salad crispers
- 5 Year parts & 2 year labour

UNDER COUNTER FRIDGE WITH ICE BOX

LPR132A1





- 100 Litre capacity fridge
- 17 Litre capacity freezer
- 2 Glass shelves
- Hettich hinges
- Automatic defrost fridge
- Manual defrost freezer
- Flame retardant metal back
- Reversible door
- ★★★★ Freezer rating
- Energy rating: F
- Dimensions:
 H 820-870 x W 596 x D 550mm
- 5 Year parts & 2 year labour

UNDER COUNTER LARDER FREEZER

PRRF102





- 95 Litre capacity freezer
- Fast freeze function
- Hettich hinges
- Flame retardant metal back
- Manual defrost
- Reversible door
- ★★★★ Freezer rating
- Energy rating: F
- Dimensions:
 H 818-870 x W 596 x D 550mm
- 5 Year parts & 2 year labour

BUILT-IN LARDER FRIDGE

PRRF210





- 301 Litre capacity fridge
- Automatic defrost
- 5 Glass shelves
- 2 Salad drawers
- Energy rating: F
- Silver trim on shelves and balconies
- Flame retardant metal back
- Reversible door
- Chrome wine rack (optional extra)
- Dimensions:
 H 1770 x W 540 x D 540mm
- 5 Year parts & 2 year labour

BUILT-IN LARDER FREEZER

PRRF211





- 200 Litre capacity freezer
- 9 Crystal drawers
- Fast freeze function
- Low noise
- Manual defrost
- Flame retardant metal back
- Reversible door
- *** Freezer rating
- Energy rating: F
- Dimensions:
 H 1770 x W 540 x D 540mm
- 5 Year parts & 2 year labour

150MM **WINE COOLER STAINLESS STEEL**

PRWC401

150MM **WINE COOLER BLACK**

PRWC402



- 22 Litre capacity
- 7 Bottle capacity (fits all bottle types)
- 6 Wooden shelves
- Interior LED lighting
- Internal temperature range 4-20°C
- Adjustable feet



- Energy rating: G
- White LED temperature display
- Dimensions: H 870-920 x W 149 x D 528mm
- 5 Year parts & 2 year labour

300MM **WINE COOLER STAINLESS STEEL**

PRWC403



- 58 Litre capacity
- 19 Bottle capacity
- 6 Wooden shelves
- Interior LED lighting
- Internal temperature range 4-20°C
- Adjustable feet

300MM **WINE COOLER BLACK**

PRWC404



- Energy rating: F
- White LED temperature display
- Dimensions: H 870-920 x W 295 x D 573mm
- 5 Year parts & 2 year labour

Compare our wine coolers see page 62







INTEGRATED DISHWASHERS

All Prima dishwashers are integrated into your kitchen ensuring that your kitchen look is seamless.

Look out for our Prima+ products...



Our Prima+ dishwasher has space for an impressive 14 place settings, has a separate and convenient adjustable cutlery tray and an "in operation" floor light to show you when the dishwasher cycle is running, all within a product that has a C energy rating (on a scale from A-G).

With so many features and at such an attractive price, our Prima+ dishwasher is hard to beat.

For technical specifications and features please see page 63

Practical and efficient

PRIMA+ 60CM **INTEGRATED DISHWASHER**

PRDW214





- 14 Place settings
- ## "In Operation" floor light
- Adjustable cutlery drawer
- Turbo speed function
- ♣ Low noise 42dBA
- ♣ Load-sensing "Auto" program
- ♣ Energy rating: C
- 7 Programmes
- 30 Minute rapid wash
- Height adjustable top basket
- Delay timer option
- 3 Spray levels
- Only uses 10L water on a typical cycle
- Dimensions: H 815 x W 598 x D 550mm
- 5 Year parts & 2 year labour

60CM INTEGRATED DISHWASHER

PRDW212





- 14 Place settings
- 6 Programmes
- 4 Temperature levels
- 11 Litre water consumption
- 2 Spray levels
- Delay timer option
- 30 Minute rapid wash
- 49 dBA
- Height adjustable top basket
- Energy rating: D
- Adjustable feet
- Dimensions: H 815 x W 598 x D 550mm
- 5 Year parts & 2 year labour

60CM INTEGRATED DISHWASHER

PRDW210





- 12 Place settings
- 4 Programmes
- 11 Litre water consumption
- Delay timer option
- 30 Minute rapid wash
- 49 dBA
- Height adjustable top basket
- Energy rating: E
- Dimensions:
- H 815 x W 598 x D 550mm
- 5 Year parts & 2 year labour

45CM INTEGRATED SLIMLINE DISHWASHER

PRDW300





- 10 Place settings
- 6 Programmes
- 4 Temperature levels
- 9 Litre water consumption
- 2 Spray levels
- 30 Minute rapid wash
- 49 dBA
- Energy rating: D
- Adjustable feet
- Delay timer option
- Dimensions: H 815 x W 448 x D 550mm
- 5 Year parts & 2 year labour





INTEGRATED LAUNDRY

Our Prima laundry range offers a simple choice of washing machine, sensor tumble dryer or a combined washer dryer.

Every product is integrated so it is hidden away behind your cabinet door even during a wash or drying cycle. With up to 8kg load capacity and a 1400 RPM spin our laundry range offers great specs for its price and comes with our 5 years parts (2 year labour) guarantee.

For technical specifications and features please see page 63

Perfect for your fitted kitchen

INTEGRATED WASHING MACHINE

PRLD370





- 7kg Load capacity
- 1400 rpm spin
- 16 programmes
- 15 minute quick wash function
- Delay start (0-24 hrs)
- Larger port hole for easy loading
- Energy rating: B
- Dimensions: H 825 x W 595 x D 540mm
- 5 Year parts & 2 year labour

INTEGRATED WASHER DRYER

PRLD375





- 8kg Load (6kg Dry) capacity
- 1400 rpm spin
- 16 programmes
- 15 minute quick wash function
- Delay start (0-24 hrs)
- Larger port hole for easy loading
- Energy rating: B
- Dimensions: H 825 x W 595 x D 540mm
- 5 Year parts & 2 year labour





SINKS

To complete your kitchen we offer a range of sinks in various materials and styles to suit your tastes and needs.

All our sinks come with an impressive lifetime guarantee giving you complete peace of mind.

Look out for our Prima+ products...



Our luxurious collection of granite sinks offers a great choice of colour finishes as well as excellent durability and practicality.

Complete your kitchen

Granite Sinks



CPR318/CPR319/CPR320/CPR321





White





Light Grey





- ♠ Extra large bowl
- ♠ Scratch resistant
- Stain resistant
- ♣ Granite
- ♣ Plumbing kit included
- Waste and over flow included
- Dimensions: W 1000 x D 500 x H 203mm
- Bowl dimensions: W 495 x D 415 x H 203mm
- Cut out depth: 480mm. Cut out width: 980mm
- Minimum cabinet width: 600mm
- Reversible with pre 'part drilled' tap holes
- **⊕** Lifetime guarantee



CPR322/CPR323/CPR324/CPR325









Light Grey



- ♠ Scratch resistant
- Stain resistant
- ♣ Granite
- ♣ Plumbing kit included
- Waste and over flow included
- Dimensions: W 1000 x D 500 x H 203mm
- Main bowl dimensions: W 340 x D 420 x H 203mm • 1/2 bowl dimensions: W 160 x D 340 x H 150mm
- Cut out depth: 480mm. Cut out width: 980mm
- Minimum cabinet width: 600mm
- Reversible with pre 'part drilled' tap holes
- **⊕** Lifetime guarantee



CPR344/CPR345/CPR346/CPR347











- Compact design for smaller spaces
- ♠ Scratch resistant
- ♠ Stain resistant
- ♣ Granite
- ♣ Plumbing kit included
- Waste and over flow included
- Dimensions: W 860 x D 500 x H 203mm
- Main bowl dimensions: W 340 x D 420 x H 203mm
- Cut out depth: 480mm. Cut out width: 840mm
- Minimum cabinet width: 500mm
- Reversible with pre 'part drilled' tap holes
- **⊕** Lifetime guarantee

Granite Sinks & accessories

NEW PRIMA+ **GRANITE 1.0 BOWL UNDERMOUNT SINK**

CPR356/CPR357/CPR358





White

Light Grey





♠ Stain resistant

DEEP DEEP

- ← Granite
- ♣ Plumbing kit included
- Waste and overflow included
- Dimensions: W 540 x D 440 x H 207mm
- Bowl dimensions: W 500 x D 400 x H 207mm
- Cut out depth: 400mm. Cut out width: 500mm
- Minimum cabinet width: 600mm
- **⊕** Lifetime guarantee



CPR359/CPR360/CPR361





White

Light Grey



- ♠ Scratch resistant
- ♠ Stain resistant
- ♣ Granite
- Plumbing kit included
- Waste and overflow included
- Dimensions: W 590 x D 440 x H 207mm
- Bowl dimensions: W 325 x D 400 x H 207mm
- 1/2 Bowl dimensions: W 160 x D 400 x H 177mm
- Cut out depth: 400mm. Cut out width: 550mm
- Minimum cabinet width: 600mm
- **⊕** Lifetime guarantee



CPR900



• Dimensions: Depth 450mm Min width (fully folded) 70mm Max width (fully unfolded) 470mm Height when folded 80mm

SINGLE BOWL PLUMBING KIT

CPR106



TWO BOWL PLUMBING KIT CPR108



Ceramic Sinks

1.0 BOWL TRADITIONAL **CERAMIC SINK**

CPR412





- Made from durable ceramic
- Waste included
- Dimensions: W 1015 x D 525 x H 220mm
- Bowl dimensions: W 420 x D 400 x H 220mm
- Cut-out depth: 505mm. Cut-out width: 995mm
- Minimum cabinet width: 600mm
- Reversible
- Gloss finish
- CPR106 plumbing kit (optional)
- Lifetime guarantee

1.5 BOWL TRADITIONAL **CERAMIC SINK**

CPR410



- Made from durable ceramic
- Waste included
- Dimensions: W 1015 x D 525 x H 225mm
- Main bowl dimensions: W 360 x D 400 x H 225mm
- 1/2 Bowl dimensions: W 130 x D 260 x H 120mm
- Cut-out depth: 505mm. Cut-out width: 995mm
- Minimum cabinet width: 600mm
- Reversible
- Gloss finish
- CPR108 plumbing kit (optional)
- Lifetime guarantee

1.0 BOWL BELFAST SINK





- Made from fine fireclay material with hygienic glazed surface
- Waste included
- Dimensions: W 595 x D 455 x H 250mm
- Minimum cabinet width: 600mm
- Reversible
- Gloss finish
- CPR106 plumbing kit (optional)
- Lifetime guarantee

Sinks & Taps Packs

COMPACT 1 BOWL SINK & TAP PACK

CPR040



- Stainless steel
- Contains waste, overflow and single lever tap
- Sink dimensions: W 860 x D 500 x H 170mm
- Minimum cabinet Width: 500mm
- Bowl dimensions: W 380 x D 400 x H 160mm
- Reversible Sink
- Cut-out depth: 482mm. Cut-out width: 842mm
- Made from 0.6mm gauge stainless steel
- Pre-drilled tap holes
- Tap minimum pressure 0.3 bar
- Flow aerator
- Fully WRAS approved tap
- CPR106 plumbing kit (optional)
- Sink: Lifetime guarantee;

Tap: 10 year body & finish, 3 year valves, 1 year serviceable parts

1 BOWL SINK & TAP PACK

CPR041



- Stainless steel
- Contains waste, overflow and single lever tap
- Sink dimensions: W 965 x D 500 x H 170mm
- Minimum cabinet Width: 550mm
- Bowl dimensions: W 410 x D 410 x H 170mm
- Reversible Sink
- Cut-out depth: 476mm. Cut-out width: 941mm
- Made from 0.6mm gauge stainless steel
- Pre-drilled tap holes
- Tap minimum pressure 0.3 bar
- Flow aerator
- Fully WRAS approved tap
- CPR106 plumbing kit (optional)
- Sink: Lifetime guarantee;

Tap: 10 year body & finish, 3 year valves, 1 year serviceable parts

1.5 BOWL SINK & TAP PACK

CPR042



- Stainless steel
- Contains waste, overflow and single lever tap
- Sink dimensions: W 965 x D 500 x H 155mm
- Minimum cabinet Width: 600mm
- Main bowl dimensions: W 346 x D 396 x H 130mm
- 1/2 bowl dimensions: W 170 x D 320 x H 70mm
- Reversible Sink
- Cut-out depth: 482mm. Cut-out width: 947mm
- Made from 0.6mm gauge stainless steel
- Pre-drilled tap holes
- Tap minimum pressure 0.3 bar
- Flow aerator
- Fully WRAS approved tap
- CPR108 plumbing kit (optional)
- Sink: Lifetime guarantee;

Tap: 10 year body & finish, 3 year valves, 1 year serviceable parts

1.0 BOWL SINK

CPR024



- Stainless steel
- Sink dimensions: W 965 x D 500 x H 170mm
- Bowl dimensions: W 410 x D 410 x H 170mm
- Minimum cabinet width: 550mm
- Reversible Sink
- Cut-out depth: 476mm Cut-out width: 941mm
- Made from 0.6mm gauge stainless steel
- Pre-drilled tap holes
- CPR106 plumbing kit (optional)
- Lifetime guarantee

1.5 BOWL SINK



- Stainless steel
- Sink dimensions: W 965 x D 500 x H 155mm
- Main bowl dimensions: W 346 x D 396 x H 130mm
- 1/2 Bowl dimensions: W 170 x D 320 x H 70 mm
- Minimum cabinet width: 600mm
- Reversible Sink
- Made from 0.6mm gauge stainless steel
- Cut-out depth: 482mm
 Cut-out width: 947mm
- Pre-drilled tap holes
- CPR108 plumbing kit (optional)
- Lifetime guarantee



DEEP BOWL 1.0

CPR030



- Made from 0.8mm guage stainless steel
- Dimensions: W 1000 x D 500 x H 200mm
- Bowl dimensions: W 480 x D 400 x H 200mm
- Minimum cabinet width: 600mm
- Reversible
- Waste & overflow included
- CPR106 plumbing kit (optional)
- Lifetime guarantee

DEEP BOWL 1.5



- Made from 0.8mm guage stainless steel
- Dimensions: W 1000 x D 500 x H 200mm
- Main bowl dimensions: W 350 x D 410 x H 200mm
- 1/2 Bowl dimensions: W 164 x D 300 x H 143mm
- Minimum cabinet width: 600mm
- Reversible
- Waste & overflow included
- CPR108 plumbing kit (optional)
- Lifetime guarantee



R10 0.5 BOWL INSET/UNDERMOUNT SINK CPR516





- The R10 range offers an ultra modern design with tight angles on the internal corners of the sink
- Waste and over flow included
- Dimensions: W 220 x D 440 x H 125mm
- Bowl dimensions: W 180 x D 400 x H 119
- Includes a cut out template
- Minimum cabinet width: 250mm
- CPR106 plumbing kit available (optional)
- Lifetime guarantee

R10 1.0 BOWL INSET/UNDERMOUNT SINK CPR518





- The R10 range offers an ultra modern design with tight angles on the internal corners of the sink
- Waste and over flow included
- Dimensions: W 380 x D 440 x H 190mm
- Bowl dimensions: W 340 x D 400 x H 190mm
- Includes a cut out template
- Minimum cabinet width: 450mm
- CPR106 plumbing kit available (optional)
- Lifetime guarantee







- The R10 range offers an ultra modern design with tight angles on the internal corners of the sink
- Waste and over flow included
- Dimensions: W 450 x D 440 x H 190mm
- Bowl dimensions: W 410 x D 400 x H 190mm
- Includes a cut out template
- Minimum cabinet width: 450mm
- CPR106 plumbing kit available (optional)
- Lifetime guarantee

R10 1.0 BOWL LARGE INSET/UNDERMOUNT SINK

CPR522







- The R10 range offers an ultra modern design with tight angles on the internal corners of the sink
- Waste & overflow included
- Dimensions: W 590 x D 440 x H 190mm
- Main bowl dimensions: W 550 x D 400 x H 190mm
- Includes a cut out template
- Minimum cabinet width: 600mm
- CPR106 plumbing kit available (optional)
- Lifetime guarantee

R10 1.5 BOWL INSET/UNDERMOUNT SINK CPR524





- The R10 range offers an ultra modern design with tight angles on the internal corners of the sink
- Waste and over flow included
- Dimensions: W 590 x D 440 x H 190mm
- Main bowl dimensions: W 340 x D 400 x H 190mm
- ½ Bowl dimensions: W 180 x D 400 x H 125mm
- Includes a cut out template
- Minimum cabinet width: 600mm
- Left hand main bowl
- CPR108 plumbing kit available (optional)
- Lifetime guarantee

R10 1.5 BOWL LARGE INSET/UNDERMOUNT SINK







- The R10 range offers an ultra modern design with tight angles on the internal corners of the sink
- Waste and over flow included
- Dimensions: W 660 x D 440 x H 190mm
- Main bowl dimensions: W 410 x D 400 x H 190mm
- ½ Bowl dimensions: W 180 x D 400 x H 125mm
- Includes a cut out template
- Minimum cabinet width: 700mm
- Left hand main bowl
- CPR108 plumbing kit available (optional)
- Lifetime guarantee

NEW PRIMA+ **R25 0.5 BOWL UNDERMOUNT SINK** CPR044





- ♣ The R25 range offers a contemporary design with tight angles on the internal corners of the sink
- Waste & overflow included
- Dimensions: W 234 x D 450 x H 120mm
- Bowl dimensions:
- W 180 x D 396 x H 120mm
- Includes a cut out template
- Minimum cabinet width: 250mm
- CPR106 plumbing kit available (optional)
- Lifetime guarantee

NEW PRIMA+ R25 1.0 **COMPACT BOWL UNDERMOUNT SINK** CPR046





- The R25 range offers a contemporary design with tight angles on the internal corners of the sink
- Waste & overflow included
- Dimensions: W 390 x D 450 x H 190mm
- Bowl dimensions: W 340 x D 400 x H 190mm
- Includes a cut out template
- Minimum cabinet width: 400mm
- CPR106 plumbing kit available (optional)
- Lifetime guarantee

NEW PRIMA+ **R25 1.0 BOWL LARGE UNDERMOUNT SINK** CPR048







- The R25 range offers a contemporary design with tight angles on the internal corners of the sink
- Waste & overflow included
- Dimensions: W 530 x D 450 x H 200mm
- Bowl dimensions: W 480 x D 400 x H 200mm
- Includes a cut out template
- Minimum cabinet width: 600mm
- CPR106 plumbing kit available (optional)
- Lifetime guarantee

NEW PRIMA+ **R25 1.0 BOWL EXTRA LARGE UNDERMOUNT SINK**







- The R25 range offers a contemporary design with tight angles on the internal corners of the sink
- Waste & overflow included
- Dimensions: W 700 x D 450 x H 200mm
- Bowl dimensions: W 650 x D 400 x H 200mm
- Includes a cut out template
- Minimum cabinet width: 700mm
- CPR106 plumbing kit available (optional)
- Lifetime guarantee

R25 1.5 BOWL REVERSIBLE UNDERMOUNT SINK

CPR052





- The R25 range offers a contemporary design with tight angles on the internal corners of the sink
- Waste & overflow included
- Dimensions: W 580 x D 450 x H 190mm
- Main bowl dimensions: W 340 x D 400 x H 190mm
- ½ Bowl dimensions: W 160 x D 300 x H 110mm
- Includes a cut out template
- Minimum cabinet width: 600mm
- Reversible
- CPR108 plumbing kit available (optional)
- Lifetime guarantee



CPR054





- The R25 range offers a contemporary design with tight angles on the internal corners of the sink
- Waste & overflow included
- Dimensions: W 580 x D 450 x H 190mm
- Main bowl dimensions: W 340 x D 400 x H 190mm
- ½ Bowl dimensions: W 160 x D 300 x H 120mm
- Includes a cut out template
- Minimum cabinet width: 600mm
- Left hand main bowl
- CPR108 plumbing kit available (optional)
- Lifetime guarantee

R25 1.5 BOWL LARGE UNDERMOUNT SINK







- The R25 range offers a contemporary design with tight angles on the internal corners of the sink
- Waste & overflow included
- Dimensions: W 740 x D 450 x H 195mm
- Main bowl dimensions: W 480 x D 400 x H 195mm
- ½ Bowl dimensions: W 180 x D 396 x H 120mm
- Includes a cut out template
- Minimum cabinet width: 700mm
- Left hand main bowl
- CPR108 plumbing kit available (optional)
- Lifetime guarantee

PRIMA+ 1.5 BOWL REVERSIBLE **UNDERMOUNT SINK** CPR510



- ⊕ 0.8mm SS304 powder coated stainless steel
- 180mm deep main bowl
- R50 radius gives smooth rounded internal corners
- Waste & hygienic overflow included
- Dimensions: W 600 x D 450 x H 180mm
- Main bowl dimensions:
- W 340 x D 400 x H 180mm • 1/2 Bowl dimensions:
- W 180 x D 400 x H 120mm • Includes a cut-out template
- Minimum cabinet width: 600mm
- Reversible
- Waste disposal compatible
- CPR108 plumbing kit (optional)
- ♣ Lifetime guarantee

1.5 BOWL UNDERMOUNT SINK

CPR514 - RIGHT HAND SMALL BOWL CPR512 - LEFT HAND SMALL BOWL



- Made from 0.8mm guage stainless steel
- R50 radius gives smooth rounded internal corners
- Waste & overflow included
- Dimensions: W 594 x D 460 x H 190mm
- Main bowl dimensions: W 350 x D 410 x H 190mm
- 1/2 Bowl dimensions: W 164 x D 300 x H 110mm
- Includes a cut-out template
- Minimum cabinet width: 600mm
- Right handed (Also available in left handed)
- CPR108 plumbing kit (optional)
- Lifetime guarantee

1.5 BOWL REVERSIBLE **UNDERMOUNT SINK**

CPR506



- Made from 0.8mm guage stainless steel
- R50 radius gives smooth rounded internal corners
- Waste & overflow included
- Dimensions: W 595 x D 460 x H 185mm
- Main bowl dimensions: W 350 x D 410 x H 185mm
- 1/2 Bowl dimensions: W 164 x D 300 x H 110mm
- Minimum cabinet width: 600mm
- Reversible
- Waste disposal compatible
- CPR108 plumbing kit (optional)
- Lifetime guarantee

LARGE BOWL UNDERMOUNTSINK



- Made from 0.8mm guage stainless steel
- R50 radius gives smooth rounded internal corners
- Waste & overflow included
- Dimensions: W 530 x D 450 x H 195mm
- Internal dimensions: 480 x 400mm
- Minimum cabinet width: 600mm
- Waste disposal compatible
- CPR106 plumbing kit (optional)
- Lifetime guarantee



TAPS

Our taps not only offer stylish design, but are manufactured to a high standard and come with a 10 year guarantee*.

Look out for our Prima+ products...



*10 year body and finish, 3 years valves and 1 year on serviceable parts.

Complete your kitchen





BPR403 - BRUSHED STEEL

• Pressure less safety design with a child lock

• New 'Dry Burn' protection sensor • UK manufactured water filter

• Operating pressure: 1.5 to 5 bar

• Anti-scald safety tap • 2.4L boiler capacity

WRAS approved

BPR404 - COPPER BPR405 - MATT BLACK



• Tap dimensions: Overall height - 347mm, Spout height - 250mm, Spout reach - 197mm

• Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts; 2 year tank

Hot Tap Filter BPR900



Hot Tap Tank





CHILD SAFE: handle mut be kept pressed

to run boiling hot water

Granite Sink Co-ordinating Taps

PRIMA+ **COLOURED COLLECTION**

BPR700 - BLACK

BPR702 - GREY

BPR706 - GUN METAL

BPR704 - WHITE



- ⊕ Ideal to co-ordinate with Prima+ Granite Sinks
- Quarter turn operation
- Brushed steel base
- Single flow tap
- Minimum pressure: 0.3 bar
- Flow aerator for controlled water delivery
- WRAS approved
- Dimensions: Overall height 378mm; Spout height 250mm; Spout reach - 225mm; Base/handle width - 148mm
- Guarantee: 5 year body & finish; 3 year valves; 1 year serviceable parts

PRIMA+ **COLOURED COLLECTION WITH PULL-OUT**

BPR710 - BLACK

BPR711 - GREY

BPR712 - GUN METAL

BPR713 - WHITE



- ☐ Ideal to co-ordinate with Prima+ Granite Sinks
- Single lever operation
- Brushed steel base
- Minimum pressure: 0.7 bar
- Flow aerator for controlled water delivery
- Dimensions: Overall height 479mm; Spout Height 202mm; Spout Reach - 230mm; Base/Handle Width - 50mm
- Guarantee: 5 year body & finish; 3 year valves; 1 year serviceable parts

Designer Stainless Steel Taps

TIBER SINGLE LEVER FLAT SPOUT MIXER TAP

BPR501



- Premium Italian designed tap
- ♠ Stainless steel
- Ceramic disk cartridge
- 360° swivel spout
- Quarter turn operation
- Dimensions: Overall height - 301mm, Spout height - 281mm, Spout reach - 220mm. Base/handle width - 30mm
- Minimum pressure: 0.7 bar
- 5 year guarantee

TIBER SINGLE LEVER ROUND SPOUT MIXER TAP

BPR502



- Premium Italian designed tap
- ♣ Stainless steel
- Ceramic disk cartridge
- 360° swivel spout
- 45° handle operation
- Dimensions: Overall height - 356mm. Spout height - 221mm, Spout reach - 201mm, Base/handle width - 45mm
- Minimum pressure: 0.7 bar
- 5 year guarantee

TIBER SINGLE LEVER MIXER WITH PULL OUT SPOUT

BPR550



- Premium Italian designed tap
- Stainless steel with black spout
- Pull out spout
- Ceramic disk cartridge
- 360° swivel spout
- 45° handle operation
- Dimensions: Overall height - 356mm. Spout height - 191mm, Spout reach - 204mm, Base/handle width - 45mm
- Minimum pressure: 0.7 bar
- 5 year guarantee

TIBER SINGLE LEVER MIXER WITH PULL OUT SPOUT



- Premium Italian designed tap
- Stainless steel
- Pull out spout
- Ceramic disk cartridge
- 360° swivel spout
- 45° handle operation
- Dimensions: Overall height - 356mm, Spout height - 191mm, Spout reach - 204mm, Base/handle width - 45mm
- Minimum pressure: 0.7 bar
- 5 year guarantee

Designer Chrome Taps

PRIMA+ RIACE SQUARE SINGLE LEVER MIXER TAP

BPR503



- ♣ Premium Italian designed tap
- Chrome finish
- Ceramic disk cartridge
- 360° swivel spout
- 45° handle operation
- Dimensions:
 Overall height 315mm,
 Spout height 235mm,
 Spout reach 205mm,
 Base/handle width 43mm
- Minimum pressure: 0.7 bar
- 5 year guarantee

PRIMA+ RIACE ROUND SINGLE LEVER MIXER TAP BPR504

- Premium Italian designed tap
- Chrome finish
- Ceramic disk cartridge
- 360° swivel spout
- 45° handle operation
- Dimensions:
 Overall height 354mm,
 Spout height 236mm,
 Spout reach 221mm,
 Base/handle width 43mm
- Minimum pressure: 0.7 bar
- 5 year guarantee

PRIMA+ RIACE 'L' SINGLE LEVER MIXER TAP



- Premium Italian designed tap
- Chrome finish
- Ceramic disk cartridge
- 360° swivel spout
- 45° handle operation
- Dimensions:
 Overall height 295mm,
 Spout height 265mm,
 Spout reach 210mm,
 Base/handle width 43mm
- Minimum pressure: 0.7 bar
- 5 year guarantee





- Premium Italian designed tap
- Chrome finish
- Pull out spout
- Ceramic disk cartridge
- 45° handle operation
- Dimensions:
 Overall height 296mm,
 Spout height 262mm,
 Spout reach 221mm,
 Base/handle width 44mm
- Minimum pressure: 0.7 bar
- 5 year guarantee

Designer Chrome Taps

PRIMA+ **MURRAY SINGLE LEVER MIXER TAP**

BPR506



- Premium Italian designed tap
- Chrome finish
- Ceramic disk cartridge
- 360° swivel spout
- 45° handle operation
- Dimensions: Overall height - 205mm, Spout height - 175mm, Spout reach - 210mm, Base/handle width - 51mm
- Minimum pressure: 0.7 bar
- 5 year guarantee

PRIMA+ **MURRAY SINGLE LEVER MIXER TAP** WITH PULL OUT SPOUT BPR555



- Premium Italian designed tap
- Chrome finish
- Pull out spout
- Ceramic disk cartridge
- 45° handle operation
- Dimensions: Overall height - 222mm, Spout height - 173mm, Spout reach - 202mm, Base/handle width - 50mm
- Minimum pressure: 0.7 bar
- 5 year guarantee

MOSA SINGLE LEVER MIXER TAP WITH PULL OUT BPR552



- Premium Italian designed tap
- Double jet flow
- Chrome finish
- Pull out spout
- Ceramic disk cartridge
- 67° handle operation
- Dimensions:
- Overall height 357mm. Spout height - 316mm, Spout reach - 187mm, Base/handle width - 30mm
- Minimum pressure: 0.7 bar
- 5 year guarantee

MOSA SINGLE LEVER ADJUSTABLE SPRING MIXER TAP

BPR553



- Premium Italian designed tap
- Double jet flow
- Chrome finish
- Ceramic disk cartridge
- 360° swivel spout
- Quarter turn handle operation
- Dimensions:

Overall height - 470mm, Spout height - 159mm, Spout reach - 212mm, Base/handle width - 44mm

- Minimum pressure: 0.7 bar
- 5 year guarantee

Contemporary Taps

PROFESSIONAL COPPER MIXER TAP

BPR722



- Brushed Copper finish
- BPR790 matching waste available
- Single lever
- Single flow tap
- Dimensions: Overall height - 345mm. Spout height - 243mm, Spout reach - 172mm, Base/handle width - 134mm
- Minimum pressure: 0.5 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

PROFESSIONAL DUAL LEVER MIXER TAP


BPR318



- Flexi spout
- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions: Overall height - 502mm. Spout height - 161mm, Spout reach - 195mm, Base/Handle width - 147mm
- Minimum pressure: 0.2 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

PROFESSIONAL SINGLE LEVER MIXER TAP

BPR603



- Flexi spout
- Chrome finish
- Single flow tap
- Dimensions: Overall height - 389mm, Spout height - 224mm, Spout reach - 220mm, Base/Handle width - 111mm
- Minimum Pressure: 1.5 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

PROFESSIONAL CONE STYLE MIXER TAP

BPR606



- Flexi spout
- Multi-function spray nozzle
- Solid brass body with chrome finish
- Cartridge technology
- Dimensions:

Overall height - 520mm. Spout height - 186.5mm, Spout reach - 194mm, Base/Handle width - 54mm

- Minimum pressure: 0.2 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

Contemporary Taps

ASTORIA SQUARE MIXER TAP

BPR2241



- Quarter turn operation
- Chrome finish
- Ceramic disc valve
- Aerator
- 360° swivel spout
- Dimensions: Overall height 348mm, Spout height - 331mm, Spout reach -190mm, Base/Handle width 147mm
- Minimum pressure: 0.2 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

CHELSEA SWAN NECK MIXER TAP

BPR2221 - CHROME BPR2222 - BRUSHED FINISH



- Quarter turn operation
- Chrome or brushed finish
- Ceramic disc valve
- Aerator
- 360° swivel spout
- Dimensions: Overall height 377mm, Spout height - 272mm, Spout reach -200mm, Base/Handle width - 117mm
- Minimum Pressure: 0.5 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

RHODE U SPOUT MIXER TAP

BPR2231



- Quarter turn operation
- Chrome finish
- Ceramic disc valve
- Aerator
- 360° swivel spout
- Dimensions: Overall height 325mm, Spout height - 255mm, Spout reach -205mm, Base/Handle width - 145mm
- Minimum pressure: 1.0 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

ALBANY MIXER TAP



- Quarter turn operation
- Single flow tap
- Chrome finish
- Ceramic disc valve
- Aerator
- Dimensions: Overall height 310mm, Spout height - 203mm, Spout reach -90mm, Base/Handle width - 134mm
- Minimum pressure: 0.3 bar
- WRAS approved
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

Contemporary Taps

SOHO SWAN NECK MIXER TAP

BPR2052 - CHROME BPR2053 - BRUSHED FINISH



- Single lever
- Chrome or brushed finish
- Single flow tap
- Dimensions: Overall height 345mm, Spout height - 255mm, Spout reach -172mm, Base/Handle width - 90mm
- Minimum Pressure: 0.5 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

VOGUE MIXER TAP

BPR2261 - CHROME



- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions: Overall height 360mm, Spout height - 276mm; Spout reach -193mm, Base/Handle width - 134mm
- Minimum Pressure: 0.5 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

STATEN MIXER TAP

BPR2203 - CHROME BPR2204 - BRUSHED FINISH



- Quarter turn operation
- Chrome or brushed finish
- Single flow tap
- Dimensions: Overall height 336.5mm, Spout height - 245mm, Spout reach -171.5mm, Base/Handle Width - 137.5mm
- Minimum Pressure: 0.3 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

DUAL LEVER V SHAPE MIXER TAP



- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions: Overall height - 314mm, Spout height - 213mm, Spout reach - 172mm, Base/ Handle width - 205mm
- Minimum pressure: 0.3 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

Essential Taps

SINGLE LEVER **MIXER TAP**

BPR1063 - CHROME



- WRAS approved
- Chrome finish
- Single flow tap
- Dimensions: Overall height - 174mm, Spout height -151mm, Spout reach - 212mm, Base/Handle width - 51mm
- Minimum pressure: 0.3 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

QUARTER TURN SWAN NECK MIXER TAP

BPR2152



- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions: Overall height - 316mm, Spout height -225mm, Spout reach - 165mm, Base/Handle width - 155mm
- Minimum pressure: 0.2 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

BELFAST DUAL LEVER MIXER TAP

BPR1053



- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions: Overall height - 344mm, Spout height -242mm, Spout reach - 172mm, Base/Handle width - 180mm
- Minimum pressure: 0.3 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

CLASSIC DUAL LEVER MIXER TAP



- WRAS certification
- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions: Overall height - 227mm, Spout height -194mm, Spout reach - 224mm, Base/Handle width - 149mm
- Minimum pressure: 0.3 bar
- Guarantee: 10 year body & finish; 3 year valves; 1 year serviceable parts

TECHNICAL SPECIFICATIONS AND FEATURES...

OVENS				SII	NGLE OVENS			BUILT-IN DOUBLE	COMPACT APPLIANCES	BUILT-UNDER DOUBLE
	PRSO106	PRSO108 [₽]	PRSO110 [€]	PRSO105	PRSO107	PRSO101	PRSO103	PRDO302 [₽]	PRCM333 [♠]	PRDO304 €
Controls	Rotary	Touch	Touch	Rotary	Rotary	Rotary	Rotary	Rotary	Touch	Rotary
Colour	Black	Black	Black	Black	Black	St/Steel	St/Steel	Black	Black	Black
Functions	7	10	11	4	4	4	4	4/4	8	4/4
Circa fan cooking	•	•	•	•	•	•	•	• (Main)	•	• (Main)
Fan assisted - conventional cooking with fan	•	•	•	_	_	_	-	-	•	_
Conventional cooking -top & bottom element	•	•	•	-	-	-	-	Upper	•	Upper
Grill with fan	•	•	•	•	•	•	•	• (Main)	•	• (Main)
Circa fan with lower heat	_	•	•	-	-	_	-	-	•	_
Bottom element	•	•	•	_	-	_	-	Upper	•	Upper
Grill	•	•	•	•	•	•	•	• (Upper & Main)	•	• (Upper & Main)
Fan with lower heat	_	•	•	-	-	-	-	_	•	-
Eco grill	_	•	•	_	-	_	-	Upper	•	Upper
Defrost	•	•	•	•	•	•	•	• (Main)	•	• (Main)
Pyrolytic cleaning	-	-	•	-	-	-	-	-	-	-
Manual timer	_	_	-	•	_	•	-	_	_	_
Auto programmer	•	•	•	-	•	_	•	•	•	•
Display colour	White	White	White	-	Amber	_	Amber	White	White	White
Chrome shelf supports	•	•	•	•	•	•	•	•	•	•
Optional telecopic rails	•	•	•	-	-	-	-	• (Main)	-	-
Easy-remove door	•	•	•	•	•	•	•	•	_	•
Easy remove glass for cleaning	•	•	•	•	•	•	•	-	_	_
Oven capacity (Litre) - gross (Net)	80 (76)	80 (76)	80 (76)	66(60)	66(60)	66 (60)	66 (60)	Upper 35 Main 59	45 (40)	Upper 35 Main 50
Energy rating	А	Α	А	А	А	Α	А	A/A	n/a	A/A
Height (mm)	595	595	595	595	595	595	595	888	455	718
Width (mm)	595	595	595	595	595	595	595	595	595	595
Depth (mm)	567	567	567	565	565	565	565	560	570	560
Maximum connection rating	2.0kw	2.0kw	2.9kw	2.7kw	2.7kw	2.7kw	2.7kw	4.1kw	3.4kw	4.1kw
Fuse rating	13A (plug)	13A (plug)	18A (hard wire)	13A (plug)	13A (plug)	13A (plug)	13A (plug)	18A (hard wire)	13A (plug)	18A (hard wire)

MICROWAVES	MICROWAVE	MICROWAVE AND GRILL	MICROWAVE AND GRILL	MICROWAVE	MICROWAVE
Ovens	PRCM111 [€]	LCTM251	LCTM25F	LCTM201	PRCM202
Height (nominal)	39CM	39CM	39CM	39CM	39CM
Stainless Steel	•	•	•	•	Black
Finger print proof finish	-	_	_	_	-
Functions	1	3	3	1	1
Microwave power - W	750W	900W	900W	800W	800W
Microwave power levels	4	5	5	5	5
Grill	-	1000W	1000W	-	_
Defrost	•	•	•	•	•
Timer	•	•	•	•	•
Digital display	•	•	•	•	_
Child safety lock	•	•	•	•	_
St/Steel inner cavity	_	_	_	-	_
Wall cupboard installation (min depth mm)	300	_	_	320	550
Turntable diameter (cm)	25.5	31.5	31.5	24.5	27
Microwave capacity (Litre) - net	22	25	25	20	20
Height (mm)	382	388	388	382	384
Width (mm)	595	595	595	594	595
Depth (mm)	320	410	410	316	336
Maximum connection rating	1.3kw	2.5kw	2.5kw	1.3kw	0.8kw

HOBS			GAS ON	I GLASS				G	AS	
	PRGH218 [⊕]	PRGH220 €	PRGH222 [€]	PRGH212	PRGH214	PRGH216	PRGH106	PRGH108	PRGH114	PRGH116
Nominal size	60CM	70CM	90CM	60CM	70CM	90CM	60CM	60CM	70CM	90CM
Colour	Black Glass	Black Glass	Black Glass	Black Glass	Black Glass	Black Glass	St/Steel	St/Steel	St/Steel	St/Steel
Controls	Rotary	Rotary	Rotary	Rotary	Rotary	Rotary	Rotary	Rotary	Rotary	Rotary
Glass edge	Frameless	Frameless	Frameless	Frameless	Frameless	Frameless	-	-	-	-
Auto ignition (push and turn)	•	•	•	•	•	•	•	•	•	•
Flame failure device	•	•	•	•	•	•	•	•	•	•
Cast iron pan supports	•	•	•	•	•	•	•	•	•	•
Enamel pan supports	-	-	-	-	_	-	•	-	-	_
LPG conversion kit included	•	•	•	•	•	•	•	•	•	•
Controls	Front	Front	Front	Front	Front	Front	Side	Side	Front	Front
No of burners / zones	4	5	5	4	5	5	4	4	5	5
Output - front left	2900W	1700W	1700W	3000W	1000W	1000W	2900W	2900W	1750W	1000W
Output - front right	950W	950W	950W	1000W	1000W	1750W	950W	950W	1000W	1750W
Output - middle/far left/ bridging zone	_	3500W	3500W	_	3800W	3800W	_	-	3800W	3800W
Output - back left	1700W	1700W	1700W	1750W	1750W	3000W	1700W	1700W	1750W	3000W
Output - back right	1700W	2900W	1700W	1750W	1750W	1750W	1700W	1700W	3000W	1750W
Auto safety / over temp shut off	-	_	_	_	_	_	_	-	_	_
Residual heat indicators	_	_	_	-	_	_	_	_	_	_
Child lock	-	-	_	-	-	-	-	-	-	-
Digital display	-	-	_	_	_	_	-	_	-	-
Electronic timer	-	-	-	-	-	-	-	-	-	-
Hob dimension (mm)	590x520	690 x 520	860 x 520	580 x 500	700 x 510	860 x 510	590 x 520	590 x 520	680 x 500	860 x 500
Cut out dimension (mm)	560x490	560 x 490	810 x 490	557 x 477	557 x 477	837 x 477	560 x 490	560 x 490	557 x 477	837 x 477
Maximum connection rating	_	_	_	_	_	_	_	_	_	_

HOBS		INDUCTION									
	PRVH001 [₽]	PRIH204 [€]	PRIH208	PRIH206	PRIH016	PRIH018	PRCEH106	PRCEH104			
Nominal size	80CM	60CM	90CM	75CM	75CM	60CM	60CM	60CM			
Colour	Black Glass	Black Glass	Black Glass	Black Glass	Black Glass	Black Glass	Black Glass	Black Glass			
Controls	Touch	Slider	Touch	Slider	Touch	Touch	Touch	Rotary			
Glass edge	Frameless	St/Steel	Frameless	Frameless	Frameless	Frameless	Frameless	Frameless			
Auto ignition (push and turn)	_	-	-	-	-	_	-	-			
Flame failure device	_	-	-	_	-	-	-	-			
Cast iron pan supports	_	_	-	_	_	_	_	_			
Enamel pan supports	_	-	-	-	_	-	-	-			
LPG conversion kit included	_	-	-	_	_	_	-	_			
Controls	Front	Front	Front	Front	Front	Front	Side	Side			
No of burners / zones	4	4	5	5	4	4	4	4			
Output - front left	_	2600W	1800W	2000W	2000W	2000W	1800W	1800W			
Output - front right	1500W	1800W	1500W	1500W	1500W	1500W	1200W	1200W			
Output - middle/far left/ bridging zone	3000W	-	2200W	2000W	_	_	_	_			
Output - back left	-	1800W	1500W	1500W	1500W	1500W	1200W	1200W			
Output - back right	2000W	2600W	1800W	2000W	2000W	2000W	1800W	1800W			
Auto safety / over temp shut off	•	•	•	•	•	•	•	•			
Residual heat indicators	•	•	•	•	•	•	•	•			
Child lock	•	•	•	•	•	•	•	•			
Digital display	•	•	•	•	•	•	•	•			
Electronic timer	•	•	•	•	•	•	-	-			
Other Features:											
Hood speed levels	3	-	-	-	-	-	-	-			
Extraction rate (m³/hr)	398	_	-	_	-	-	-	_			
Noise level (dBA)	61	-	-	-	-	-	-	-			
Vent dimensions	370 x 39 x 138	-	-	_	-	_	-	-			
Hob dimension (mm)	800 x 520	590 x 520	860 x 520	750 x 520	590 x 520	590 x 520	580 x 510	580 x 510			
Cut out dimension (mm)	780 x 500	560 x 490	830 x 490	730 x 490	560 x 490	560 x 490	564 x 494	564 x 494			
Maximum connection rating	6.8kw	7kw	8.8kw	7.4kw	7kw	3kw	6.0kw	6.0kw			

HOODS	CEILING	DOWNDRAFT		ANGLED		вох	CURVED GLASS ISLAND	FLAT GLASS CHIMNEY		D GLASS MNEY	CHIN	MNEY	INTEGRATED	VIS	SOR	CAN	IOPY
	PRCH301 [©] (90CM)	PRDE0004 [€]	PRAE0030 [€]	PRAE1002 [©] (60CM) PRAE1004 [©] (70CM) PRAE1006 [©] (90CM)	PRAE0018 (60CM) PRAE0020 (70CM) PRAE0022 (90CM)	PRCH026 [©] PRCH028 [©] PRCH030 [©]	PRCGH100	PRFH002 (60CM)	(60CM) PRCGH010 (70CM)	PRCGH009 (60CM) PRCGH011 (70CM) PRCGH013 (90CM)	PRCH020 (60CM) PRCH022 (70CM) PRCH024 (90CM)	PRCH021 (60CM) PRCH023 (90CM)	PRCH550	PRCH600	PRCH400	PRCH700	PRCH701
Nominal size	90cm	90cm	60cm	60/70/90cm	60/70/90cm	60/70/90cm	90cm	60cm	60/70/90cm	60/70/90cm	60/70/90cm	60/70/90cm	60cm	60cm	60cm	60cm	73cm
Colour	St/Steel	Glass/Steel	Black/Steel	Glass/Steel	Black	St/Steel	St/Steel	St/Steel	St/Steel	Black	St/Steel	Black	Grey	St/Steel	Silver	Grey	Grey
Controls	Remote	T/Control	T/Control	T/Control	Push Button	T/Control	Push Button	Push Button	Push Button	Push Button	Push Button	Push Button	Slider	Slider	Slider	Slider	Slider
Speed levels	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Extraction rate (m³/hr)	718	549	387	387	387	354	360	278	278	278	379	379	263	273	231	273	273
Noise (dB)	69	67	62	62	62	70	63	65	65	65	60	60	61	61	62	61	61
Filter (optional)	_	1 x PRF008	1 x PRF006	1 x PRF006	1 x PRF006	1 x PRF007	1 x PRF006	1 x PRF006	1 x PRF006	1 x PRF006	1 x LIA210 (Pk of 2)	1 x LIA210 (Pk of 2)	1 x LIA210				
Grease filters	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Acrylic	Aluminium	Acrylic	Acrylic	Acrylic
Outlet diameter	150mm	150mm	125mm	125mm	125mm	125mm	125mm	125mm	125mm	125mm	150mm	150mm	120mm	150mm	120mm	150mm	150mm
Bulbs	4 x 2W LED	2 x 1W LED	2 x 1W LED	2 x 1W LED	2 x 1W LED	2 x 1W LED	2 x 1W LED	1W LED	1W LED	1W LED	2 x 2.8W LED	2 x 2.8W LED	1 x 2.8W LED	2 x 2.8W LED	1 x 2.8W LED	1 x 2.8W LED	2 x 2.8W LED
Height (mm)	215	300	827-1127	810-1110	780-1080	450-750	830-1050	430-730	540-740	540-740	668-898	668-898	400	175	150	148	148
Width (mm)	900	880	600	600/700/900	600/700/900	600/700/900	900	600	600/700/ 900	600/700/ 900	600/700/ 900	600/700/ 900	600	598	600	527	707
Depth (mm	600	90	333	330	313	450	600	450	450	450	450	450	495	306-456	520	283	283
Chimney W x D (mm)	-	-	260 x 180	260 x 180	260 x 180	185 x 175	277 x 263	400 x 330	205 x 230	205 - 230	185 x 175	185 x 175	-	-	-	_	_
Other features			White LED to match Prima Plus Ovens	15 minute timer		Adjustable timer digital LED clock			Chimney flue extension available			Chimney flue extension available					
			15 minute timer														

Prima ducting kit PRDK150 PRDK150 PRDK125 PRDK125 PRDK125 PRDK125 PRDK125 PRDK125 PRDK125 PRDK150 PRDK150 PRDK150 PRDK150 PRDK125 PRDK125 PRDK125 PRDK150 PRDK125 (optional)

COOLING	BOILI-0	NDER INTE	GRATED	FULL HEIGHT INTEGRATED						
	PRRF100	PRRF102	LPR132A1	PRRF210	PRRF211	PRRF500	PRRF700	PRRF502	PRRF702	
Nominal height	_	_	-	177cm	177cm	177cm	177cm	177cm	177cm	
Larder fridge	•	-	_	•	_	-	-	-	-	
Freezer	_	•	_	_	•	-	-	-	-	
Fridge with ice box	_	_	•	_	_	-	_	-	_	
Fridge freezer - frost free	_	_	-	_	_	•	•	-	-	
Fridge freezer - static	_	_	-	-	_	-	-	•	•	
Auto defrost fridge	•	_	•	•	_	•	•	•	•	
Manual defrost freezer	-	•	•	-	•	-	-	•	•	
Door fixing - door on door	•	•	•	-	-	-	-	-	-	
Door fixing - slider	-	-	-	•	•	•	•	•	•	
Reversible doors	•	•	•	•	•	•	•	•	•	
Fridge capacity (Litres)	135	_	100	301	_	147	182	147	182	
Freezer capacity (Litres)	_	95	17	_	200	77	56	81	60	
Shelves	2	_	2	5	_	4	4	4	4	
Fridge drawers/ Salad crispers	2	_	2	2	_	2	2	2	2	
Freezer drawers	_	3	(Ice Box)	-	9	4	3	4	3	
Energy rating	F	F	F	F	F	F	F	F	F	
Height (mm)	820-870	818-870	820-870	1770	1770	1770	1770	1770	1770	
Width (mm)	596	596	596	540	540	540	540	540	540	
Depth (mm)	550	550	550	540	540	540	540	540	540	
Flame retardant metal back	•	•	•	•	•	•	•	•	•	
Coolant - R600a	•	•	•	•	•	•	•	•	•	
Climate Class	SN-ST	SN-ST	N-ST	N-ST	N-ST	SN-T	SN-T	SN-N	SN-N	
Rated current (A)	1A	1A	1A	1A	1A	1A	1A	1A	1A	


WINE COOLERS	BUILT-UNDER								
COOLLING	PRWC401	PRWC402	PRWC403	PRWC404					
Nominal Width	15cm	15cm	30cm	30cm					
Colour	S/S	Black	S/S	Black					
Capacity (litres)	22	22	59	59					
No of bottles	7	7	19	19					
Compressor cooling	•	•	•	•					
Temp range °C	4-20	4-20	4-20	4-20					
Digital temperature display	•	•	•	•					
Wooden shelves	6	6	6	6					
Noise level (dBA)	41	41	41	41					
Refrigerant (R600a)	•	•	•	•					
Climate class N	•	•	•	•					
Front & rear levelling feet	•	•	•	•					
Fitted 3 pin plug	•	•	•	•					
Energy rating	G	G	F	F					
Rated current (A)	0.6A	0.6A	0.6A	0.6A					

DISHWASHERS		FULLYINTEGRATED								
	PRDW214 [€]	PRDW212	PRDW210	PRDW300						
Nominal width	60cm	60cm	60cm	45cm						
Place settings	14	14	12	10						
No of programs	7	6	4	6						
Water usage (litres)	10	11	11	9						
Noise level (dBA)	42	49	49	49						
Normal wash	•	•	•	•						
Intensive wash	•	•	•	•						
Economy wash	•	•	•	•						
Rapid wash	•	•	•	•						
Glass	•	•		•						
90 minutes	•	•		•						
Auto program (load sensing)	•									
Soak	•	-	•	_						
Delay timer	1-24 hrs	1-24 hrs	1-24 hrs	1-24 hrs						
Low salt display indicator	•	•	•	•						
Low rinse aid display indicator	•	•	•	•						
End of program display indicator	•	•	•	•						
Anti flood	•	•	•	•						
Top cutlery drawer	•	_	_	_						
Standard cutlery basket	-	•	•	•						
Height adjustable top basket	•	•	•	•						
"In Operation" floor light	•	_	_	_						
Energy rating	С	D	Е	D						
Height (mm)	815	815	815	815						
Width (mm)	598	598	598	448						
Depth (mm)	550	550	550	550						
	'									
Max rated power	2.1KW	2KW	2KW	2KW						

LAUNDRY	WASHING MACHINE	WASHER DRYER
	PRLD370	PRLD375
White	•	•
Fully integrated	•	•
Spin speed rpm (max)	1400	1400
Wash load (max kg)	7	8
Drying load (max kg)	_	6
Wash performance rating	А	Α
Spin efficiency rating	А	В
Energy-efficiency rating	В	В
Hot & cold fill	Cold	Cold
Quick wash function	•	•
Height (mm)	825	825
Width (mm)	595	595
Depth (mm)	540	540
Voltage (V)	220-240	220-240
Connected load (w)	2000	2000
Fuse required (amps)	13	13


PRIMA+ **BUILT-IN SINGLE ELECTRIC FAN OVEN**

PRSO106/PRSO108/ PRSO110




BUILT-IN SINGLE ELECTRIC FAN OVEN

PRSO105/PRSO107




BUILT-IN SINGLE ELECTRIC FAN OVEN

PRSO101/PRSO103




PRIMA+ **BUILT-IN DOUBLE ELECTRIC OVEN**

PRDO302




PRIMA+ **BUILT-UNDER DOUBLE ELECTRIC OVEN**

PRDO304




PRIMA+ **BUILT-IN COMPACT COMBINATION MICROWAVE, GRILL** & FAN OVEN

PRCM333




PRIMA+ **15CM WARMING DRAWER** PRWD002




PRIMA+ **BUILT-IN 39CM MINI MICROWAVE**

PRCM111



BUILT-IN STAINLESS STEEL FRAMELESS MICROWAVE AND GRILL LCTM251

BUILT-IN STAINLESS STEEL FRAMED MICROWAVE **AND GRILL**




BUILT-IN STAINLESS STEEL FRAMED MICROWAVE

LCTM201


H382 x W594 x D316 **BUILT-IN BLACK MICROWAVE**

PRCM202




PRIMA+ 60CM **GAS ON GLASS** HOB

PRGH218




PRIMA+ **70CM GAS ON GLASS HOB**


PRGH220



PRIMA+ **90CM GAS ON GLASS** HOB




60CM **GAS ON GLASS** HOB PRGH212



70CM GAS ON GLASS HOB


PRGH214






60CM **STAINLESS STEEL GAS HOB**

PRGH106



60CM **STAINLESS STEEL GAS HOB**


PRGH108



70CM STAINLESS STEEL GAS HOB PRGH114

90CM **STAINLESS STEEL GAS HOB**


PRGH116





PRIMA+ **80CM VENTING INDUCTION HOB** PRVH001














75CM INDUCTION HOB PRIH206

60CM **INDUCTION HOB** PRIH016 PRIH018

60CM **CERAMIC HOB** PRCEH104/ PRCEH106







PRIMA+ **90CM CEILING HOOD**

PRCH301

PRIMA+ **90CM DOWNDRAFT** HOOD

PRDE0004

PRIMA+ **ANGLED HOOD** PRAE0030

PRIMA+ 60/70/90CM **STAINLESS STEEL** /GLASS **ANGLED HOOD**

PRAE1002/ PRAE1004/ PRAE1006


PRAE0018/ PRAE0020/ PRAE0022


60/70/90CM


ANGLED HOOD

PRIMA+ 60/70/90CM **BOX HOOD**


PRCH026/ PRCH028/ PRCH030









1110 (Max) 810






90CM **STAINLESS STEEL CURVED GLASS ISLAND HOOD**

PRCGH100




60CM STAINLESS STEEL FLAT GLASS HOOD

PRFH002




60/70/90CM **STAINLESS STEEL CURVED GLASS CHIMNEY HOOD**

PRCGH008/PRCGH010/ PRCGH012



60/70/90CM **BLACK CURVED GLASS CHIMNEY HOOD**

PRCGH009/PRCGH011/ PRCGH013




60/70/90CM **STAINLESS STEEL CHIMNEY HOOD**

PRCH020/PRCH022/PRCH024

ALSO AVAILABLE IN BLACK

PRCH021/PRCH023




GREY INTEGRATED HOOD PRCH550


60CM VISOR HOOD PRCH400


60CM **GREY CANOPY HOOD** PRCH700


PRCH701

60CM **TELESCOPIC HOOD** PRCH600











50/50 **FROST FREE** FRIDGE FREEZER


PRRF500




70/30 **FROST FREE FRIDGE FREEZER**



50/50 **FRIDGE FREEZER** PRRF502



70/30 FRIDGE FREEZER PRRF702



UNDER COUNTER LARDER FRIDGE

PRRF100


UNDER COUNTER FRIDGE WITH ICE BOX LPR132A1








BUILT-IN

LARDER FREEZER
PRRF211











150MM WINE COOLER

PRWC401 - STAINLESS STEEL PRWC402 - BLACK



300MM WINE COOLER

PRWC403 - STAINLESS STEEL PRWC404 - BLACK





PRIMA+ **60CM INTEGRATED DISHWASHER** PRDW214


60CM **INTEGRATED DISHWASHER** PRDW212




45CM INTEGRATED SLIMLINE DISHWASHER PRDW300










INTEGRATED WASHING MACHINE PRLD370

INTEGRATED


PRLD375

WASHER DRYER




PRIMA+ GRANITE 1.0 BOWL

CPR318/CPR319/CPR320/CPR321




PRIMA+ GRANITE 1.5 BOWL

CPR322/CPR323/CPR324/CPR325




PRIMA+ COMPACT GRANITE 1.0 BOWL

CPR344/CPR345/CPR346/CPR347




PRIMA+ GRANITE 1.0 BOWL UNDERMOUNT

CPR356/CPR357/CPR358




PRIMA+ GRANITE 1.5 BOWL UNDERMOUNT

CPR359/CPR360/CPR361




1.0 BOWL TRADITIONAL CERAMIC SINK

CPR412




1.5 BOWL TRADITIONAL CERAMIC SINK

CPR410




BELFAST 1.0 BOWL SINK




COMPACT STAINLESS STEEL 1 BOWL & TAP PACK

CPR040




STAINLESS STEEL 1 BOWL & TAP PACK

CPR041




STAINLESS STEEL 1.5 BOWL & TAP PACK

CPR042




1.0 BOWL SINK

CPR024




1.5 BOWL SINK

CPR026




DEEP BOWL 1.0

CPR030




DEEP BOWL 1.5


CPR032




PRIMA+ R10 0.5 BOWL INSET/ UNDERMOUNT SINK CPR516



PRIMA+
R10 1.0 BOWL
INSET/
UNDERMOUNT
SINK
CPR518




PRIMA+
R10 1.0 BOWL
MEDIUM
INSET/
UNDERMOUNT
SINK




PRIMA+ **R10 1.0 BOWL LARGE INSET/UNDERMOUNT SINK**

CPR522




PRIMA+ **R10 1.5 BOWL INSET/UNDERMOUNT SINK**

CPR524




R10 1.5 BOWL LARGE INSET/UNDERMOUNT SINK

CPR526




PRIMA+ **R25 0.5 BOWL UNDERMOUNT SINK**

CPR044




PRIMA+ **R25 1.0 COMPACT BOWL UNDERMOUNT SINK** CPR046

R25 1.0 BOWL LARGE UNDERMOUNT SINK CPR048




R25 1.0 BOWL EXTRA LARGE UNDERMOUNT SINK




PRIMA+ **R25 1.5 BOWL REVERSIBLE UNDERMOUNT SINK**

CPR052




PRIMA+ **R25 1.5 BOWL UNDERMOUNT SINK**

CPR054




PRIMA+ **R25 1.5 BOWL LARGE UNDERMOUNT SINK**

CPR056




PRIMA+ 1.5 BOWL REVERSIBLE **UNDERMOUNT**

CPR510




1.5 BOWL UNDERMOUNT SINK

CPR514 - RIGHT HANDED CPR512 - LEFT HANDED




1.5 BOWL REVERSIBLE **UNDERMOUNT**

CPR506



LARGE BOWL UNDERMOUNT SINK



INTRODUCING Primacare

Primacare is our aftersales care programme which ensures that your Prima and Prima+ products are working as they should.

Our Primacare team deliver a friendly and efficient service.

Below is an overview of our Primacare service, from registering your product for the extended parts guarantee, to what to do if your product experiences problems.

PRODUCT REGISTRATION

You can register by phone or easily online at http://Prima-Appliances.uk/Guarantee. By registering your product you benefit from 5 year parts & 2 year labour guarantee.

CONTACTING PRIMACARE

For all Primacare enquiries please call our Primacare hotline on 0344 576 6841 or email care@Prima-Appliances.uk. Opening hours: Mon-Fri 8:00am - 6:00pm

CUSTOMER QUERIES

Sat 8:30am - 2:00pm Sun 10:00am - 2:00pm

The Primacare team are available to give you advice on operating our products and their specifications.

IF YOU EXPERIENCE A PROBLEM WITH YOUR PRIMA OR PRIMA+ PRODUCT

Please call the Primacare hotline on 0344 576 6841 and a Primacare advisor will check your product registration details, log the fault on our Primacare system and if possible will attempt to resolve any operational or installation issues on the phone.

If we are unable to resolve your issue over the phone we will arrange for a Primacare engineer to contact you for a home visit at your convenience.

ENGINEERS VISIT / SPARES


One of our trained service engineers will arrange a suitable appointment with you and attempt to fix your appliance on the first visit, however in the event that additional parts are required he/she will arrange a new appointment to install the new parts at a later date.

ESCALATION PROCESS


If you are not satisfied with any part of the repair process we recommend that you contact the Primacare hotline as soon as possible and we will escalate your problem to our Prima Escalation Management Team.

PRODUCT REPLACEMENT

If we are unable to repair your appliance for any reason we reserve the right to offer you a replacement item to the same specification. If the replaced item is unavailable we reserve the right to offer a suitable alternative of similar specification. Original guarantee dates still apply in the event of a replacement. Terms & conditions apply.







prima care


If you experience any problems with your appliance please contact our dedicated service line on:

0344 576 6841

UK Call Centre open 7 days a week: Mon-Fri 8:00am - 6:00pm Sat 8:30am - 2:00pm Sun 10:00am - 2:00pm

or you can visit our website:

http://Prima-Appliances.uk/Guarantee







www.Prima-Appliances.uk

Retail Outlet:

For your nearest stockist: Freephone: 0800 8 77 88 9